

# Genkim

**TEXTILE CHEMICALS**  
EMULSION POLYMERS AND  
INDUSTRIAL ADHESIVES  
TEXTILE LUBRICANTS & OILS

[www.genkim.com.tr](http://www.genkim.com.tr)

*GENKİM was founded in 1985 in Bursa. GENKİM started its production with Textile chemicals and continues growing with lubricants, emulsion polymers and industrial adhesives.*

*GENKİM supports you to understand and solve your problems by its close links with various industry groups and academic institutions, its export team, technical infrastructure and wide experience. Being competent in troubleshooting the problems and providing accurate implementations, GENKİM adds value to your company.*

*GENKİM focuses on creating the ideal conditions for the benefit of its clients while keeping its values alive.*





Size Lubricants  
Pre-treatment  
Dyeing  
Washing&Fixing  
Enzymes  
Softeners  
Finishing  
Denim  
Printing  
Lubricants  
Paraffinic Oils  
Miscellaneous



## Size Lubricants

Product Name	Ionic Character	Application Field
GENSIZE SW 100		Wax - softener for warp sizing.
GENSIZE 4000		Yarn covering/lubricating agent in sizing bath.

## Pre-Treatment

### Wetting Agents

Product Name	Ionic Character	Application Field
HIDROWET SNT	Anionic	Highly effective, rapid wetting agent developed for pre-treatment and dyeing.
PRIMEWET VIP	Anionic	Deaerating wetting agent for reactive, sulphur, indigo, pad-batch and continuous dyeing.
GENKIMOL WA 2 C	Anionic/Nonionic	Wetting and dispersing/levelling agent for scouring, bleaching and dyeing.
AIR-OFF 101	Nonionic	Deaerating, scouring and wetting agent for textile processes.
HIDROWET FF 5	Nonionic	Nonfoaming, concentrated, deaerating, scouring and wetting agent developed for textile pre-treatment.
HIDROWET RN 7	Nonionic	Alkaline resistant concentrated wetting agent.
HIDROWET HWA	Nonionic	Alkaline resistant, nonfoaming wetting agent providing high hydrophilicity. Suitable for auto-matic dosing systems.
HIDROWET WIN B	Anionic/Nonionic	Nonfoaming, concentrated, deaerating, scouring and wetting agent developed for textile pre-treatment and dyeing.
HIDROWET NW	Nonionic	Wetting agent for pre-treatment.
MERS-BENZ 6.0	Anionic	Scouring and mercerizing wetting agent.

### Combined Bleaching Agents

Product Name	Ionic Character	Application Field
VISCOTEX COM	Anionic	Special bleaching agent in powder form for viscose/rayon and cotton.
GENBLEACH 300 OZEL	Anionic/Nonionic	Non foaming, highly effective combined bleaching agent with remarkable oil removing and whiteness effect.
GENBLEACH 302 T	Anionic/Nonionic	Combined bleaching agent with high hydrophilicity and whiteness effect.
GENBLEACH HB NEW 1	Nonionic/Anionic	Combined bleaching agent for continuous and pad-batch applications.
GENPRO ECOSIZE 01	Nonionic	Low foaming, high performance wetting agent.

## Synthetic Desizing And Oil Removing Agents

Product Name	Ionic Character	Application Field
PRIME RELEASE	Anionic/Nonionic	Powerful, dosable silicone and mineral oil stripping agent which is effective at the removal of knitting and weaving oils.
GENOVER DEEP	Anionic/Nonionic	Specific oil and silicone removing pre-treatment agent.
GENOVER ORW	Nonionic	Nonfoaming synthetic desizing and oil removing, wetting and prefixing agent.
GENOVER L/SR	Nonionic	Ecological scouring and oil removing agent with orange solvent.
ECOREM PES G/A	Nonionic	Synthetic size, oil, stain and silicone removing prefixing agent.
THERMOSTABIL LYC	Nonionic	Washing and anti-yellowing agent including elastane for PA, PES fibers prefixing.
GENKIMOL OL		Solvent free oil remover, washing, scouring and wetting agent.

## Stabilizing Agents

Product Name	Ionic Character	Application Field
GENSTAB P 300 M	Anionic	Impregnation improving, peroxide stabilizing agent for continuous alkali peroxide bleaching.
GENSTAB P 250	Anionic	Stabilizer for alkali hydrogen peroxide bleaching.
GENSTAB P 300 MT	Anionic	Stabilizer and sequestering agent.
PRIME WHITE GREEN		Time and energy saving, environment friendly low temperature bleaching chemical which improves whiteness and hydrophillity.

## Sequestering Agents

Product Name	Ionic Character	Application Field
GENQUEST CD 1000	Anionic	Special wet process improver and dispersing agent for all textile applications, sequestering agent.
IOGEN C 06		Sequestering agent, komplex binder for bleaching process and reactive dyeing baths.
GENQUEST DEM	Anionic	Demineralization and sequestering agent.
GENQUEST FSI 101	Anionic	Spesific sequestering agent, reactive dyeing dispersant and hardness inhibitor komplex binder.
ECOREM NEW	Anionic	Sequestering agent developed for dispersing metal and semi-metal salts existing in the bath liquors.
GENPLUS WG	Nonionic	Highly effective weight increasing agent.

## Antifoaming Agents

Product Name	Ionic Character	Application Field
NONSTAIN HT	Nonionic	High circulation stable, nonstaining silicone antifoaming agent suitable for printing paste.
NONSTAIN SI 6010	Nonionic/Anionic	Silicone antifoaming agent.
NONSTAIN SI 6010 M	Nonionic/Anionic	Silicone antifoaming agent.
DR. FOAM HPC	Nonionic/Anionic	Low dosage, high circulation stable, nonstaining silicone antifoaming agent suitable for printing paste

## Anticreasing Agents

Product Name	Ionic Character	Application Field
LUBRISOFT BNG	Anionic	Fatty based, highly effective concentrated anticreasing agent with antistatic properties.
LUBRISOFT FLY	Anionic	Fatty based anticreasing agent for pre-treatment and dyeing.
LUBRISOFT ALT	Nonionic/Slightly Anionic	Polymer based anticreasing agent for PES, PA, CO, WO and blends.
LUBRISOFT ACP NEW	Anionic	Polymer based anticreasing agent for PES, PA, CO, WO and blends.
LUBRISOFT KR/A	Anionic	Fatty based anticreasing agent.

# Dyeing

## Dispersing Agents, Levelling Agents, Buffers, Carriers

Product Name	Ionic Character	Application Field
GENBASE PWD KONZ		Highly pH stable, powder alkali agent for exhaustion process of reactive dyes with superior effect in low dosages.
GENFIX PH 300		Highly pH stable, liquid alkali agent for exhaustion process of reactive dyes with superior effect in low dosages.
GENACID SNR	Nonionic/Slightly Anionic	Specific pH buffer.
GENACID BUF		Odourless, specific pH buffer.
GENACID I-GREEN		Specific pH buffer which protects fabric strength during drying.
GENACID NBF	Nonionic	Specific pH buffer which protects fabric strength during drying.
GENOLAN AR	Anionic	Acid donor for polyamide and wool dyeing.
GENKIMOL SS 1000 AN	Anionic	Dye solver, sequestering, abrage inhibiting, dispersing and levelling agent for reactive and direct dyestuffs.
LEVANOL AK/E NEW	Nonionic	Dispersing and levelling agent for PAN, WO/PAN and blends.
GENKIMOL PA KONZ	Anionic	Levelling agent for wool, PA and blends dyeing with acidic and metal complex dyes.
EGALON B	Amphoteric	Levelling agent for wool, PA and blends.
GENKIMOL AS	Nonionic	Dispersing and levelling agent for dyeing PES, cationic PES, PAN, PA, WO fibers and blends.
LEVANOL HDL	Nonionic	Excellent low foaming dispersing and levelling agent for HT and rapid dyeing processes of polyester fibers.
LEVANOL STA	Anionic/Nonionic	Dispersing, levelling and migration improving agent for disperse dyes.
GENKIMOL V 100 L	Nonionic/Slightly Anionic	Dosable, nonfoaming migration improver and levelling agent for disperse dyes.
GENKIMOL HT/B	Nonionic	Dispersing and levelling agent for dyeing of polyester and blends.
GENKIMOL HTJ	Anionic	Highly effective, migration improver dispersing agent for dyeing polyester and blends.
LEVANOL AE 170		pH buffer and levelling agent for PES and their blends.
GENKIMOL DIS P/M	Anionic	Highly active, low impurity dispersing and levelling powder.
EGAPOL VP	Nonionic	Levelling, migration and diffusion improver for PES and blends.
EGAPOL EXH/NS	Nonionic	Odorless, diffusion and migration improver for PES and blends designed for atmospheric and HT conditions.
DIFIBER G4 PLUS	Nonionic	Odorless, migration and diffusion enhancing agent, improver for PES and blends.
DIFIBER G5 PLUS	Nonionic	Odorless, migration and diffusion enhancing agent, improver for PES and blends.
GENRET PAN	Cationic	Acrylic fiber retarder with remarkable migrating effect in basic dyeing.
ANTIMIGRASIST G	Anionic	Migration inhibitor for disperse printing paste and thermosol dyeing.
GENCLEAN OG	Anionic	Oligomer inhibiting and dispersing agent.

## Washing & Fixing

### Washing Agents, Reductants

Product Name	Ionic Character	Application Field
GENCLEAR CA 100	Anionic	Highly effective washing and soaping agent after reactive dyeing and printing with no color interaction.
GENCLEAR RWM 1	Anionic	Soaping and washing agent which is used after reactive dyeing and printing.
GENCLEAR RWO	Anionic	Process shortening and fastness improving concentrated soaping agent which is used after reactive dyeing and printing.
GENCLEAR KYS	Nonionic /Slightly Cationic	Fastness improving washing and soaping agent after reactive dyeing and printing, a cationic fixator for posterior processes which is silicone and softener compatible.
GENCLEAR NS	Cationic	Fastness enhancing washing off agent providing color vividness for PA/WO dyed and printed fabrics.
GENCLEAR CL	Anionic	Washing and soaping agent after reactive dyeing and printing.
GENCLEAR M 100	Anionic	Washing and soaping agent after reactive dyeing and printing.
NEW ANTIBACKSTAIN EX	Nonionic	Backwashing dispersing agent for denim garments.
GENFIX NFF NEW	Cationic	Non-formaldehyde, wet fastness improving agent for reactive and direct dyes.
POLYFIX PA	Anionic	Wet fastness improver for PA and wool dyeing processes and reserving agent for PA/WO and blends.
GENRED OX		Fastness improving acidic reduction cleaning agent that is addable to the same bath after dyeing which shortens process by eliminating neutralization.
ECORED 100		Strong reducing agent for reduction clearing,stripping,cleaning of dyeing machines and removal of residual hydrogen peroxide after bleaching.
GENRED ECO+		Strong reducing agent for reductive washing, stripping and machine cleaning.
GENRED SAR		Fastness improving alkaline reduction cleaning agent which is suitable for dosage.

## Enzymes

### Washing&Fixing

Product Name	Ionic Character	Application Field
GENSIZE LT 600		$\alpha$ -Amylase desizing enzyme.
GENSIZE LT HIGH KONZ		$\alpha$ -Amylase desizing enzyme.
GENZIM PER 600		Antiperoxide catalase enzyme
GENPIL UNI KONZ B		Acid cellulase biopolishing enzyme.
GENPIL UNI H KONZ		Acid cellulase biopolishing enzyme.
GENPIL UNI NE		Neutral cellulase biopolishing enzyme for dye bath.
GENPIL COMBI ECO		Process shortening catalase and neutral cellulase enzyme formulation for dyeing.
GENSTONE GW		Concentrated stone washing enzyme for cold and hot baths.

# Softeners

## Cationic

Product Name	Ionic Character	Application Field
GENSOFT MK 500	Cationic	Yellowing resistant, easily soluble, soft touch and slipperiness providing cationic flake softener.
GENSOFT S 600	Cationic	Highly effective cationic flake softener.
GENSOFT ECO 6000	Cationic	Ecological and highly effective cationic flake softener.
GENAMIN Q	Cationic	Concentrated paste cationic softener.
GENAMIN PAN	Cationic	Antistatic softener for acrylic and polyester.
GENSOFT HS-LF	Cationic	Softener for cellulosic, synthetic fibers and blends.
GENAMIN KP 1Y	Cationic	Cationic softener.
SOFTTOGEN H-90	Cationic	Concentrated, hydrophilic, cationic softener.
HIDROSIL HBK 20	Cationic	Hydrophilic cationic softener.
GENSOFT SUPRA PLUS	Cationic / Nonionic	Specific universal avivage and antistatic softener.
AVISOFT SWP	Cationic / Nonionic	Sewability convenience and avivage provides.
SOFTTO HIGH TEX	Cationic	Hydrophilic silicone containing softener.

## Nonionic

Product Name	Ionic Character	Application Field
GENSOFT NY 500	Nonionic	Nonionic flake softener.
GENSOFT BR 400 E	Nonionic	Ecological nonionic flake softener.
AVISOFT NY	Nonionic	Concentrated, nonionic softener for cellulosic, synthetic fibers and blends.
EMULSION MDP/B	Nonionic	Enhanced knittability and tensile strength providing polyethylene wax emulsion for yarns and fabrics.
COSMOGEN HAAS	Anionic	Breathable, non-yellowing softener in paste form.
AVISOFT RR	Nonionic	Nonionic softener for cellulosic synthetic fibers and blends.
AVISOFT SURF	Nonionic	Nonyellowing, scrooping, filling and antistatic agent.
AVISOFT SP	Nonionic	Liquid paraffin emulsion.

## Silicone

Product Name	Ionic Character	Application Field
GENSIL MH 100	Nonionic	Surface slipperiness and stretching effect providing macro silicone emulsion.
HIDROSIL SNIL		Semi hydrophilic macro silicone emulsion.
FINISH JET EX/H	Slightly Cationic	Special exhaustable nano micro silicone providing lubricity, elasticity with slippery handle to all fibers.
FINISH SDA	Slightly Cationic	Micro silicone suitable for all fibers.
FINISH SMW 1	Nonionic	Concentrated, nonyellowing, micro silicone emulsion providing a soft, full handle and lubricity for all fibers.
FINISH MICRO		Micro silicone softener suitable for all kinds of textile fibres and in pigment printing paste.
FINISH MICRO 1	Nonionic	Micro silicone softener suitable for all kinds of textile fibres and in pigment printing paste.
FINISH SMW 300	Slightly Cationic	Concentrated micro silicone used for all fibers.
FINISH SMW 400	Slightly Cationic	Concentrated micro silicone emulsion with highly surface slipperiness, volume stretching effect.
GENAMIN SI 102 MC	Cationic	Exhaustable silicone based softener.
FINISH JET WS	Cationic	Special exhaustable silicone providing elasticity with slippery handle to all fibers which has a unique performance in wide pH ranges and high temperatures.
HIDROSIL BOOST	Slightly Cationic	High slippery handle, hydrophilic, suitable for exhaust processes in wide pH.
HIDROSIL PURE	Nonionic/Slightly Cationic	Supersoft, volumizing, nonyellowing and exhaustable hydrophilic silicone.
HIDROSIL SKY	Nonionic/Slightly Cationic	Special non-yellowing, exhaustable hydrophilic silicone.
HIDROSIL TOW	Nonionic/Slightly Cationic	Soft handle providing non yellowing exhaustable and jet stable hydrophilic softener for knitted and woven fabrics which prevents discoloration.
GENSIL MAC W1+	Slightly Cationic	Semi hydrophilic, exhaustable, suitable in pH 3-10, macro silicone emulsion.



## Finishing

Finishing Agents		
Product Name	Ionic Character	Application Field
HYDROPEP HIP	Nonionic	Hydrophilic finishing agent for PES and blends.
HYDROPEP PERM	Nonionic	Permanent soft and antistatic finish for PES.
SARDON L	Nonionic	Antistatic raising emulsion.
SARDON P 100	Nonionic	Antistatic raising lubricant.
GENGUARD FC 2000 UHP	Slightly Cationic	Water, soil and oil repellent.
GENGUARD FC 3000	Slightly Cationic	Especially water, soil, oil repellent in pes-cotton-wool blends. Resistant to washing and dry cleaning.
GENOFLAM FT 50	Nonionic	Durable flame retardant for PES, PES/PA and PES/cellulosic fabrics.
GENOFLAM CT 01	Anionic	Flame retardant for PES, PES/PA and blends.
GENACYRYL NBC 210	Nonionic	Flame retardant compound.
DEEP COLOR PES	Slightly Cationic	Color deepener and fastness improver agent for PES.
DEEP COLOR MH 100	Slightly Cationic	Color deepener and fastness improver agent.
GENCREASE NEU KONZ <sup>ECO</sup> 00		Shrink and crease resistant finishing agent.
GENFAST FY LIQ K		Phenolic yellowing inhibitor.

## Denim

Denim Garment		
Product Name	Ionic Character	Application Field
NEW ANTIBACKSTAIN EX	Nonionic	Backwashing dispersing agent.
RESCATALIST 07		Resin catalyst.
ACTIVATOR GK	Cationic	Chlorite bleaching accelerator.
GENSTONE GW		Concentrated stone washing enzyme for cold and hot baths.
GENPIL UNI NE/S		Neutral cellulase enzyme.
FINISH JET EXH	Slightly Cationic	Nano micro silicone emulsion for exhaustion, providing elastic and slippery handle to all fibers.
FINISH SMW 300	Slightly Cationic	Micro silicone emulsion used for fibers.
AVISOFT NY M	Nonionic	Specially developed nonionic softener for denim.
GENAMIN Q	Cationic	Concentrated paste cationic softener with lowest ozon yellowness.
HIDROSIL PURE	Nonionic/Slightly Cationic	Supersoft, volumizing, nonyellowing and exhaustable hydrophilic silicone.
GENACRYL HCP 104	Nonionic/Anionic	Hard filling and wash resistant finish suitable for spraying method.
GENACRYL SCP 160	Nonionic/Anionic	Soft filling and wash resistant finish suitable for spraying method.
GENFAST FY LIQ K		Phenolic yellowing inhibitor.

# Printing

Printing		
Product Name	Ionic Character	Application Field
GENPRINT PB	Nonionic	High fastness and soft binder for pigment printing.
GENPRINT SBX	Nonionic	Highly wash-resistant, ultrasoft binder for pigment printing which protects colour yield and vividness.
PRIMELENS SHINE+		Very soft, styrene acrylic based self- crosslinkable pigment printing binder.
PRIMELENS SILK+		Soft, styrene acrylic based self- crosslinkable pigment printing binder.
PRIMELENS ECO+		Universal high fastness soft printing binder.
PRIMELENS TOUCH+		Universal high fastness soft printing binder.
GENPRINT PST	Anionic	High concentration synthetic thickener.
GENPRINT CRL	Cationic	Crosslinker for pigment printing.
GENPRINT MX NEW		Easily washable medium viscosity alginate thickener for reactive printing.
GENPRINT MX KONZ		Vivid and deep colour providing high viscosity alginate thickener for reactive printing.
EMPRINT CE NEW		Natural thickener for indanthrene and disperse printing.
GENPRINT D 60		Natural thickener providing high color yield for disperse printing.
GENPRINT DT		Modified polysaccharide.
GENPRINT DTU		Modified polysaccharide.
GENPRINT DT 70		Disperse printing thickener.
GENGUAR NEW	Nonionic	Natural thickener for PA, PAC and PES printing.
GENPRINT JP 90		Thickener for ink-jet printing.
EMULGATOR AP 80	Nonionic	Printing paste emulsifier in flake form.
GENGOL N	Anionic	Oxidizing agent.
EMULGATOR A	Nonionic	Printing paste emulsifier.
GENPRINT AP	Nonionic	Color enhancer in reactive and disperse printing.
GENPRINT SPD	Nonionic	Color enhancer in disperse printing.
GENKIMOL PRINT BRIGHT	Anionic	Brightness and fastness improver, eliminating bleeding of colours in reactive, dispers and discharge printing which protects paste viscosity and back surface color uniformity.

## Textile Lubricants & Oils

### Lubricants

Product Name	Ionic Character	Application Field
GENOSTAT AS 150	Anionic/Nonionic	Synthetic antistatic agent for fiber and yarn manufacturing.
LUBRICOL SWE/S	Nonionic	Exhaustable rewinding and sewing thread average lubricant for synthetic yarns and blends.
LUBRICOL NDY	Nonionic	Specially developed, antistatic lubricant for bobbin dyeing.
GENKIM ANT 103	Anionic/Nonionic	Exhaustable high performance antistatic lubricant.
GENOSTAT SA2/AP L	Anionic/Nonionic	Antistatic, lubricant and blending oil for wool and synthetic fibers.
GENOSTAT AP KONZ	Anionic	Highly effective concentrated synthetic antistatic blending oil for wool and natural fibers.
GENOSTAT SA KONZ	Nonionic	Highly effective concentrated synthetic antistatic blending oil for wool and synthetic fibers.
GENOSTAT LBE 150	Nonionic/Anionic	Synthetic lubricant for fiber and yarn manufacturing in spinning.
SPINTEX OIL 1002	Nonionic	Nonsplashing, easily washable coning oil with excellent antistatic quality.
KNITTEX OIL 1000	Nonionic	Machine maintenance intervals extending, superior lubrication performance providing and easily washable circular knitting machine oil.
KNITTEX OIL 1200	Nonionic	Machine maintenance intervals extending, superior lubrication performance providing and easily washable circular knitting machine oil.
WHITTEX 2000	Nonionic	Machine maintenance intervals extending, superior lubrication performance providing and easily washable, colourless circular knitting machine oil.
LUBRICOL 100 E	Nonionic	Twisting and rewinding oil for natural and synthetic yarns.
LUBRICOL B	Nonionic	Antistatic, textile and blending oil.
GENOSTAT PP 202.0	Nonionic / Slightly Anionic	Nonsplashing, easily washable spinnish oil especially for polypropylene fibers.
GENOSTAT PP 303.0	Nonionic / Slightly Anionic	Nonsplashing, soft touch, easily washable spinnish oil especially for polypropylene fibers.
SPINTEX OIL S	Anionic/Nonionic	Nonsplashing synthetic texturing oil.
SYNTHOIL 888	Slightly Anionic	Nonsplashing synthetic texturing oil.

# Miscellaneous

Special Auxiliary Chemicals		
Product Name	Ionic Character	Application Field
LANAGEN AF	Anionic	Antifelting agent for wools.
GENOX BB KONZ	Anionic	Sulphur dye antioxidant.
GENOX S	Anionic	Sulphur dyeing oxidation agent.
GENKOLA WB	Nonionic/Anionic	Wash resistant, selvedge gumming agent for knitted fabrics.
GENKIM MAK 3	Cationic	Specially designed interior machine cleaning agent for effectively removing of oligomers, dyestuff, silicone and size deposits.
GENOPTIK PB	Anionic	Blue shade optical brightener for cellulose.
GENOPTIK PES/B	Anionic	Blue shade optical brightener for PES.
GENACRYL LTX 555	Nonionic	Soft and durable back coating binder.
GENACRYL LT 111	Nonionic	Self crosslinking binder for textile finishing.
GENACRYL FSA	Nonionic	Textile and carpet binder.
GENACRYL LM 260	Nonionic	Binder for woven carpet back coating.
APRETAN GT 40	Nonionic	Stiffening and filling agent for all fibers.
GENPLUS WG	Nonionic	Highly effective weight increasing agent.
GENACRYL HCP 104	Nonionic/Anionic	Hard filling and wash resistant finish suitable for spraying method.
GENACRYL SCP 160	Nonionic/Anionic	Soft filling and wash resistant finish suitable for spraying method.
GENACRYL NWB F3	Nonionic	Binder for needle punched carpet, stiff non-woven interlining and wadding.
GENACRYL VT 301	Nonionic/Slightly Anionic	General purpose acrylic thickener.

## Paraffinic Oils

### Rubber Industry

Product Name	Ionic Character	Application Field
BRANGUMA 2000		Paraffinic process oil for rubber.
BRANGUMA 3000		Paraffinic process oil for rubber.
BRANGUMA 4000		Paraffinic process oil for rubber.

### Release Agents

Product Name	Ionic Character	Application Field
BRANPLAST FY 380/4		Release agent for resinated felt moulding.

# Emulsion Polymers and Industrial Adhesives

## Emulsion Polymers

Product Name	Ionic Character	Application Field
SORBUS CS 1010	Nonionic/Anionic	Styrene acrylic emulsion use for interior-exterior paints, textured finishes and primers.
SORBUS CS 1550	Nonionic/Anionic	Styrene acrylic emulsion use for interior-exterior paints, textured finishes and primers.
INNOACRYL PREMIUM+		Styrene acrylic emulsion for water resistant coatings.
SORBUS COVERCOAT 06		Universal acrylic binder for high gloss paints.
SORBUS CS 1660	Nonionic/Anionic	Binder for cementitious waterproofing membranes.
SORBUS CS 1440	Anionic/Nonionic	Binder for Low VOC interior and exterior paint.
SORBUS CS 1880+		Universal binder for waterproof 2K cement mortars.
SORBUS DN 400	Anionic	Dispersing agent.
SORBUS DN 401	Anionic	Dispersing agent.
SORBUS DA 400	Anionic	Dispersing agent.

## Wood-Working and Furniture

Product Name	Ionic Character	Application Field
SORBUS SR 55	Nonionic	PU adhesive for 3D membrane press application.
SORBUS SR 60	Nonionic	PU adhesive for 3D membrane press application.
SORBUS RLD 25		PVAc dispersion glue for woodworking.
SORBUS RLD 55		PVAc dispersion glue for woodworking.
SORBUS RLD 60		Water-based adhesive for dowel insertion systems.
SORBUS RLD 95		PVAc dispersion glue for woodworking.

## Paper and Packaging

Product Name	Ionic Character	Application Field
SORBUS CB 318 M		Water-based adhesive for tubewinding.
SORBUS PK 150		Hotmelt adhesive for closing cartons and boxes.
SORBUS PK 210		Water-based adhesive for paper and carton converting applications.
SORBUS PK 211		Water-based adhesive for paper and carton converting applications.
SORBUS PK 220		Water-based adhesive for paper and carton converting applications.
SORBUS PK 240		Water-based adhesive for paper and carton converting applications.
SORBUS PK 295		Water-based adhesive for paper and carton converting applications.
SORBUS PL 524		Tissue and towel laminating adhesive.
SORBUS PL 525		Tissue and towel laminating adhesive.
SORBUS PL 535		Corewinding adhesives.
SORBUS PL 540		Corewinding adhesives.

## Textile

Product Name	Ionic Character	Application Field
SORBUS SCP 160	Nonionic/Anionic	Soft binder for textile application.
SORBUS HCP 104	Nonionic/Anionic	Hard binder for textile application.
SORBUS NWB F3	Nonionic	Binder for needle punched carpet, stiff non-woven interlining and wadding.
SORBUS NBC 210	Nonionic	Flame retardant textile binder.
SORBUS LTX 555	Nonionic	Soft and durable back coating binder.
SORBUS FSA	Nonionic	Textile and carpet binder.
SORBUS LM 260	Nonionic	Binder for woven carpet back coating.
SORBUS LT 111	Nonionic	Self crosslinking binder for textile finishing.
BRANACRYL NL 960		Water-based adhesive for paper and felt lamination.

## Thickeners

Product Name	Ionic Character	Application Field
SORBUS VT 301	Nonionic/Slightly Anionic	General purpose acrylic thickener.

# Genkim

GENKİM Genel Endüstriyel Kimyevi Maddeler San. Tic. Ltd. Şti.  
Bursa Organize Sanayi Bölgesi Lacivert Cadde 2. Sokak No: 4 Nilüfer - BURSA / TÜRKİYE  
P. : +90 224 241 77 80 F. : +90 224 241 77 84 Mobile : +90 533 382 45 13

[www.genkim.com.tr](http://www.genkim.com.tr) [export@genkim.com.tr](mailto:export@genkim.com.tr)