

注：本册所列产品可能会因改良而有所变动，以随机的说明书为标准，恕不另行通知；由于印刷误差，与产品实际颜色可能稍有差异，敬请谅解。
Note: Some products information on catalogue may be changed because of improving products, but must be same as instruction which is attached with products. Please forgive that we will not make additional advice in advance. Because of printing question maybe there is little difference compared with the real color of products. Sincerely sorry for the inconvenience.



HUIBO 惠博
惠天下 博众长



公司官网

产品视频

浙江惠博缝制科技有限公司
ZHEJIANG HUIBO SEWING EQUIPMENT TECHNOLOGY CO., LTD.

地址：浙江省台州市台州湾新区三甲优良村885-1号

网址：WWW.HUIBOSEW.COM

全国统一售后服务热线

400-998 3897

HUIBO® 惠博

惠天下 博众长

**SEWING
TECHNOLOGY**

浙江惠博缝制科技有限公司
ZHEJIANG HUIBO SEWING EQUIPMENT TECHNOLOGY CO., LTD.



惠天下 博众长

▶▶▶ ABOUT US 关于惠博

浙江惠博缝制科技有限公司成立于2014年，公司坐落于具有“中国缝纫机之都”美誉的浙江省台州市。专业生产智能、特种惠博牌工业缝纫机。

Zhejiang Huibo Sewing Technology Co., Ltd. was established in 2014. The company is located in Taizhou City, Zhejiang Province, which has the reputation of "the sewing machine capital of China". Specializing in the production of intelligent, special Huibo brand industrial sewing machines.

公司拥有专业的研发团队，秉承德国精益求精工匠精神。结合中华民族的智慧结晶。创新、创造，改进各种缝纫设备，达到最佳的性能，为客户创造更多的价值而努力。

The company has a professional research and development team, adhering to the spirit of German craftsmanship. Combining the wisdom of the Chinese nation. Innovating, creating and improving all kinds of sewing equipment to achieve the best performance and create more value for customers.

公司拥有先进的自动化加工设备，并采用精益生产、信息化管理模式和完善的检测制度。从而形成从零件到整机的制造质量控制，售后服务等整套科学有效的完美体系。

The company has advanced automatic processing equipment, and adopts the information management mode of continuous improvement production and perfect inspection system. So as to form a complete set of scientific and effective perfect system including manufacturing quality control and after-sales service from parts to the whole machine.

公司已通过ISO9001国际质量体系认证，其中多个产品以及多个零部件和结构，获得了专利证书。产品以国内市场为根本并远销全球几十个国家和地区。它的高品质和实用性深受各国用户的喜爱和赞誉。

The company has passed ISO9001 international quality system certification, in which many products and many parts and structures have obtained patent certificates. The products are based on the domestic market and are exported to dozens of countries and regions in the world. Its high quality and practicability are deeply loved and praised by users from all over the world.

合作伙伴




惠，给客户以最实惠的价格
HUI, to customers with the most affordable price;

博，博取百家之长于一体，智造高品质缝纫设备
BO, learn to the strengths of others to build high quality sewing equipment.



HUIBO 惠博

惠天下 博众长



全自动毛巾双向缝边机

Automatic towel two way sewing machine

服装图例说明 Fashion icon description



包缝机系列

OVERLOCK SEWING MACHINE SERIES

HB-S1	01
HB-S2-4QDB	02
HB-S2-4D	03
HB-ST3	04
HB-EXT8400TS/QB	05
HB-EXT 8400TS	06
HB-S214	06
HB-S200F	07
HB-EXT7228	08
HB-EXT5211-4D	08
HB-700-3XH	09
HB-700-3G	09
HB-700-02X250	09
HB-700-4G/TA	09
HB-700-4TK	09
HB-700-5-48	09

特种机系列

SPECIAL SEWING MACHINE SERIES

HB-9820	23
HB-1790	24
HB-1900ASS	25
HB-430D	26
HB-781D	27
HB-1377/373	28
HB-927/928PL	28
HB-62G	29
HB-VC008	30
HB-1404	31
HB-1412	31
HB-1508P	32
HB-2000C	32
HB-2010R	33
HB-2210G	34
HB-2284N	35
HB-1530D	35

平缝机系列

LOCKSTITCH SEWING MACHINE SERIES

HB-9288D4	10
HB-9800D	11
HB-9800-D3	11
HB-7200QB	12
HB-7200D	12
HB-0308T	13
HB-0308S	13
HB-0356	14
HB-0335	14
HB-0358D	15
HB-0358QD	15
HB-3800D	16
HB-8842/8845	17
HB-842D/872D/845D/875D	17

普通/辅助系列

GENERAL AUXILIARY SERIES SEWING MACHINE

HB-890B	36
HB-1212	37
HB-101T	37
HB-500T	37
HB-888	38
HB-666	38
HB-120C/H	39
HB-812/815/817/818	39
HB-801A/802A	39
HB-103/3/108	40
HB-50/70/90/100/110/125	40
HB-TDZ-B1	41
HB-TDZ-Q1	41
高驱电机	41
HB-QA-2	42
HB-QA-3	42
HB-QB-2	42
HB-808	42

绷缝机系列

INTERLOCK SEWING MACHINE SERIES

HB-500-01CB/UT	18
HB-600-01CB/UT	19
HB-500-05CB	20
HB-600-35B	20
HB-720T	21
HB-787T	21
HB-1500T	22
HB-1500L	22

包缝机系列

OVERLOCK SEWING MACHINE SERIES

HB-S2

一体型全自动电脑超高速包缝机
INTEGRATED FULLY AUTOMATIC SUPER HIGH-SPEED
OVERLOCK MACHINE



HB-S2-4QDB

一体型全自动电脑超高速包缝机
INTEGRATED FULLY AUTOMATIC SUPER HIGH-SPEED
OVERLOCK MACHINE

世界领先步进剪线抬压脚

主要缝制范围：



广泛应用于各类运动衫、毛衫、T恤衫、童帽衫、牛仔裤、西装、内衣、内裤等 裁剪缝、深边缝、压接缝、嵌件缝等工作。



本机型是一体型超高速包缝机，直接驱动的针杆机构，适用于工作服、睡衣、运动服等中厚布料拷边作业；电控与机头一体设计，节约空间，降低能耗。并可选配，剪线，抬压脚等各种扩展功能，提升缝切性能。

This model is an integrated energy-saving direct drive, super high speed overlock sewing machine. Direct drive needle bar is suitable for sewing uniform, pajama, sports wear etc. medium and heavy duty material. The design of integrated control system and machine body saves the room and lower down the energy consumption. Optional device of auto trimmer, auto presser lifter etc. can improve the sewing performance.



电动可选，气动可选
Electric or pneumatic is optional



三点光感
Three light sensors



一体电控（带语音）、USB 充电装置
Integrated control box(with voice)
USB connection



LED 及手动剪线
LED & manual cutting

	★	—	1	3	—	0.7-2	4	3.8	5.5	6500	2	DCX27#11	550
HB-S2-3QDB	★	—	1	3	—	0.7-2	4	3.8	5.5	6500	2	DCX27#11	550
HB-S2-4QDB	★	—	2	4	2	0.7-2	4/6	3.8	5.5	6500	2	DCX27#11	550
HB-S2-5QDB	★	—	2	5	3	0.7-2	5/8	3.8	5.5	6000	3	DCX27#14	550

HB-S2-4D

一体型超高速(节能直驱)包缝机

INTEGRATED SUPER HIGH-SPEED
(ENERGY-SAVING DIRECT DRIVE) OVERLOCK MACHINE

主要缝制范围:



广泛适用于各类梭织布、毛布、T恤衫、圆领衫、牛仔布、西裤、内衣、内裤等 取圈缝、来边缝、压褶缝、装饰缝等工作。



HB-ST3

上下差动厚料电脑包缝机

UP AND DOWN DIFFERENTIAL THICK MATERIAL
COMPUTERIZED OVERLOCK SEWING MACHINE

主要缝制范围:



广泛适用于各类梭织布、毛布、T恤衫、圆领衫、牛仔布、西裤、内衣、内裤等 取圈缝、来边缝、压褶缝、装饰缝等工作。



本机是一体型超高速包缝机，直接驱动的针杆机构，适用于工作服、睡衣、运动服等中厚布料拷边作业；电控与机头一体设计，节约空间，降低能耗。并可选配，剪线，抬压脚等各种扩展功能，提升缝纫性能。

This model is an integrated energy-saving direct drive, super high speed overlock sewing machine. Direct drive needle bar is suitable for sewing uniform, pajama, sports wear etc. medium and heavy duty material. The design of integrated control system and machine body saves the room and lower down the energy consumption. Optional device of auto trimmer, auto presser lifter etc. can improve the sewing performance.



智能电脑上下差动厚料包缝机，融入了全新视觉、语音导航、USB升级端口，通轴传动、一键还原、面料识别等独有元素，让用户享受到科技与速度的体验。

The intelligent computer up and down differential thick material overlock sewing machine integrates unique elements such as new vision, voice navigation, USB upgrade port, through shaft drive, one button restore, fabric recognition and other unique elements, so that users can enjoy the experience of technology and speed.



EXT系列的上输送齿轮送布

EXT系列的牙齿

电脑操作面板

直驱伺服电机

HB-S2-3D	—	—	1	3	—	0.7-2	4	3.6	5.5	6000	2	DCX27#11	550
HB-S2-4D	—	—	2	4	2	0.7-2	4/6	3.6	5.5	6000	2	DCX27#11	550
HB-S2-5D	—	—	2	5	3	0.7-2	5/8	3.6	5.5	6000	3	DCX27#14	550

HB-ST3-3QZ	★	—	1	3	—	0.7-2	3.6	4	7	2	7000	DCX27#11	
HB-ST3-4QZ	★	—	2	4	—	0.7-2	3.6	4/6	7	2	7000	DCX27#11	
HB-ST3-5QZ	★	—	2	5	—	0.7-2	3.6	5/8	7	3	7000	DCX27#14	

HB-EXT8400TS/QB

自动上料领口机
AUTOMATIC FEEDING COLLAR MACHINE

主要缝制范围:



广泛适用于各类涤纶衫、毛织、T恤衫、圆领衫、牛仔裤、西裤、内衣、内裤等 领口缝、滚边缝、直接缝、美热缝等工序。



广泛适用于内衣、T恤衫、圆领衫、运动裤裤腰等各种面料的自动化上领、上腰，省时省力，操作简单，另外还有多种线迹可供选择。

Widely applicable to automatic upper collar and upper waist of various fabrics such as underwear, T-shirts, T-shirts, sports pants and waistbands, saving time and labor, simple operation, and a variety of stitches to choose from.



HB-EXT8400TS/QB	适用于领口、袖口、裤腰	DCX27 11#	2	5	4	(带卷尺) 24	0.5-3.8	8	0.7-2	6000



HB-EXT8400TS

上下差动四线细筒包缝机
DIRECT-DRIVE FOUR-LINE FINE CYLINDER
OVERLOCK SEWING MACHINE

适合于各类T恤的袖口,各类手套口套缝,婴幼儿服装袖口以及圆形小物的缝制采用了独立驱动的上送料机构,大幅提升了上送的效率,改善了上层面料与下层面料相互滑溜现象。

Suitable for all kinds of T-shirt sleeve, infant clothing sewing cuff and a small round object. With the independently-driven top-feeding mechanism, feeding efficiency is increased dramatically.



HB-EXT8400TS	适用于领口、袖口、裤腰	DCX27 14#	2	5	4	(带卷尺) 24	0.5-3.8	5.5	0.7-2	6000
HB-5214	适用于领口、袖口、裤腰	DCX27 14#	2	5	4	(带卷尺) 24	0.5-3.8	5.5	0.7-2	7000



HB-5214

直驱四线细筒包缝机
DIRECT-DRIVE FOUR-CYLINDER OVERLOCK
SEWING MACHINE

适合于各类T恤的袖口,各类手套口套缝,婴幼儿服装袖口以及圆形小物的缝制。

Suitable for all kinds of T-shirt sleeve, infant clothing sewing cuff and a small round object.



HB-5200F

直驱高速反手包缝机

DIRECT-DRIVE HIGH-SPEED BACKHAND OVERLOCK SEWING MACHINE

主要缝制范围:



广泛适用于各类运动衫、卫衣、T恤衫、圆领衫、牛仔裤、西裤、内裤、内裤等 假领、衣边缝、假领缝、裤脚缝等工艺。



HB-EXT7228

一体型全自动电脑超高速包缝机

INTEGRATED FULLY AUTOMATIC SUPER HIGH-SPEED OVERLOCK MACHINE

采用了独立驱动的上送料机构，大幅提升了上送的效率，改善了上层面料与下层面料相互滑溜现象。更能获得高质量的缝制效果。特别适用于滑溜物料的缝制。

With the independently-driven top-feeding mechanism, feeding efficiency is increased dramatically. This top-feeding mechanism enables smooth and beautiful stitches. Suitable for sewing on slippery fabrics.



EXT系列的上送料机构 EXT系列的牙盘 电脑操作面板 直驱伺服电机



HB-EXT5211-4D

直驱上下差动四线细筒全自动包缝机

DIRECT DRIVE UP AND DOWN DIFFERENTIAL FOUR WIRE THIN CYLINDER AUTOMATIC OVERLOCK SEWING MACHINE

广泛适用于内衣、T恤衫、圆领衫、运动裤裤腰等各种面料的自动化上领、上腰，省时省力，操作简单，另外还有多种线迹可供选择。

Widely applicable to automatic upper collar and upper waist of various fabrics such as underwear, T-shirts, T-shirts, sports pants and waistbands, saving time and labor, simple operation, and a variety of stitches to choose from.



1. 加上普通EX包缝机可同时缝制布料左右两边，适用于清洁布、丝巾等各种两面装饰缝。
 2. 操作速度得到飞跃性的提高，缝制时的故障减少到最小限度，缝制出高质量的产品，缝料干净、线迹美观。
1. While the left and right sides of fabric sew for cleaning cloths, scarves and other decorative sewing both sides.
2. The operation speed is dramatically improved, sewing time is reduced to a minimum fault, sewing high-quality products, sewing material clean and beautiful stitches.



HB-5200F	—	—	1	3	—	0.7-2	3-5	3.8	6	7000	2	DCX27#9	550
----------	---	---	---	---	---	-------	-----	-----	---	------	---	---------	-----

HB-EXT7228	★	—	2	4	2	0.7-2.4	4	0.6-3.2	8	6000	2	DCX27#10	550
HB-EXT5211-4D	★	—	2	4	2	0.7-2.4	4	0.6-3.2	8	7500	3	DCX27#11	550



HB-700-3XH

超高速制鞋包缝机
ULTRA-HIGH-SPEED PACKET SEWING MACHINE
(SEWING SHOES)



HB-700-3G

超高速手套包缝机
SUPER HIGH SPEED OVERLOCK SEWING MACHINE
(FOR WORK GLOVE)



HB-700-02X250

超高速四线双链滚边口袋包缝机
SUPER HIGH SPEED FOUR-THREAD DOUBLE CHAIN
ROLLING OVERLOCK SEWING MACHINE



HB-700-4G/TA

超高速毛巾包缝机
SUPER HIGH SPEED OVERLOCK MACHINE
(FOR TOWEL)



HB-700-4TK

超高速倒缝四线包缝机
SUPER HIGH SPEED BACK LATCHING
OVERLOCK SEWING MACHINE



HB-700-5-48

超高速打褶用五线包缝机
SUPER HIGH-SPEED 5-YARN CUP
SEAMING MACHINE

Model	Code	1	2	3	4	5	6	7	8	9	10	11	12
HB-700-3XH	DCX27 18#	1	-	3	5	0.5-3.8	0.7-2		6	8500	470X365X600	24	1/38.3
HB-700-3G	DCX27 18#	1	-	3	5	0.5-3.8	0.7-2		6	5000	470 x 350 x 480		32/33.5
HB-700-02X250	DCX27 14#	2	5	4	24	0.5-3.8	0.7-2	3	6	8000	470 x 350 x 480		32/33.5
HB-700-4G/TA	DCX27 18#	2	2	4	4	0.5-3.8	0.7-2	2	6	8500	470 x 350 x 480		32/33.5
HB-700-4TK	DCX27 11#	1	-	4	4	0.5-3.8	0.7-2	2	6	7000	470 x 350 x 480		32/33.5
HB-700-5-48	DCX27 14#	2	4	5	3	0.5-3.3	1-2.8		6	5000	450 x 350 x 470		32/33.5

平缝机系列 LOCKSTITCH SEWING MACHINE SERIES

HB-9288T

智能单步进电脑平缝机
INTELLIGENT SINGLE STEEPING COMPUTERIZED
LOCKSTITCH SEWING MACHINE





HB-9800D

平缝直驱
COMPUTER SEWING MACHINE



HB-9800-D3

通轴电脑车
THROUGH AXIS COMPUTER SEWING MACHINE



HB-7200QB

直驱电脑带刀平缝机 (切包一体)
DIRECT DRIVE HIGH - SPEED COMPUTERIZED
LOCKSTITCH SEWING MACHINE(WITH CUTTER)



HB-7200D

直驱电脑带刀平缝机
DIRECT DRIVE HIGH - SPEED COMPUTERIZED
LOCKSTITCH SEWING MACHINE



HB-9288D4

智能一体高速平缝机
INTELLIGENT INTEGRATED HIGH SPEED
SEWING MACHINE

直驱伺服马达, 比普通机器省电70%以上, 超大操作空间, 采用优良的送布机构, 在低张力的状态下能防止高速时跳动, 大大提高了生产效率, 美观大方, 操作简便, 低噪音, 无辐射, 环保型, 是服装行业的理想缝纫设备。

Direct-drive servo motor, which saves more than 70% of power than ordinary machines, has large operating space, adopts excellent feeding mechanism, can prevent jumping at high speed under low tension, greatly improves production efficiency, beautiful and generous, easy to operate, low noise, no radiation, environmental protection, and is the ideal sewing equipment in the garment industry.

适宜的切刀行程, 能利索地切断各种面料。

1. 切布锋利, 整齐, 可通过更换不同规格的针板而得到不同的切布宽度, 以满足不同的需求。
2. 配有自动剪线装置及自动倒缝装置, 使剪线和倒缝更加快捷, 方便。
3. 采用封闭式的挡屑槽, 保证在缝制中旋梭部位的清洁, 从而保证产品的品质。

Suitable cutting stroke can cut all kinds of fabrics quickly.

1. Cutting cloth is sharp and neat. Different width of cutting cloth can be obtained by replacing needle boards of different specifications to meet different requirements.
2. Equipped with automatic thread shearing device and automatic reverse sewing device, it makes thread shearing and reverse sewing faster and more convenient.
3. Closed chip groove is adopted to ensure the cleaning of the spindle part in sewing, thus ensuring the quality of the product.



	M	H	5	5.5/13	30.7	DBX1 #14	5000	★	—
HB 9800M	★	—	—	—	—	—	—	—	—
HB 9800H	—	★	—	—	—	DPK5 #21	3500	★	—
HB 9800B	—	★	—	—	—	DPX5 #21	3600	—	★

	DBX1 #5-#18	0-5	4-9	★	★	★	★	★	★	—	5000	630X225X550	49/51
HB-7200QB-D3	—	—	—	—	—	—	—	—	—	—	—	—	—
HB-7200-D3	—	—	—	—	—	—	—	—	—	—	—	—	—



HB-0308T

智能步进送料电脑同步机
INTELLIGENT STEPPING MOTOR FEEDING
COMPUTERIZED SYNCHRONOUS MACHINE

1. 采用通轴设计，有效防止漏油，操作更安全。
2. 采用步进马达驱动技术：一个马达完成倒缝动作。
3. 花样缝：由步进电机控制，可自行设定产生D1-D9，9种米粒状不同线迹。
4. 圆刀剪线更强劲，且保证高性能的切线效果。
5. 适用于皮革，人造革，帆布，座垫，沙发，箱包等制品。

1. Adopting through-shaft design to effectively prevent oil leakage and safer operation.
2. using stepper motor drive technology: a motor to complete the reverse stitching action.
3. pattern seam: controlled by stepper motor, can be set to produce D1-D9, 9 kinds of rice grain different stitches.
4. round knife trimming line is more powerful, and guarantee high performance tangent effect.
5. suitable for leather, artificial leather, canvas, cushions, sofas, luggage and other products.



双同步进布机构，超长针杆行程，大与动量交替压脚



智能一体大屏操作面板



HB-0308T	2	8	★	-	816	370	135X17/DPX17 120-180	-	2500	580X250X535	32/36
HB-0308S	2	8	★	-	816	370	120-180	-	2500	580X250X535	32/36



HB-0308S

直驱电脑厚料同步车
MEDIUM THICK UPPER AND LOWER FEED
LOCKSTITCH SEWING MACHINE

HB-0356

直驱电脑厚料长臂同步车
MEDIUM THICK UPPER AND LOWER FEED
LONG-ARM LOCKSTITCH SEWING MACHINE

主要缝制范围：



广泛应用于各类皮革、人造革、帆布、牛仔布、沙发、箱包、床上用品、汽车坐垫等厚料制品。



HB-0335

直驱电脑厚料加长同步车
DIRECT DRIVE COMPUTER THICK MATERIAL
LENGTHENING SYNCHRONOUS CAR

1. 机头采用后盖板加高、包轴设计，不仅有效防止漏油，而且操作更安全。
2. 本机创新性的采用直接驱动方式，节能伺服电机直接与缝纫机主轴连接，起缝快速，停车精确，减少反应迟滞时间。
3. 750W节能伺服电机，剪线动力更强劲。圆刀剪线，高性能的切线机构保证准确切线效果，切口平整。
4. 具有自动剪线、自动定针位、自动定针数、自动计数倒顺缝等多种智能缝制模式。

1. The nose adopts the design of rear cover plate heightening and axle wrapping, which not only effectively prevents oil leakage, but also ensures safer operation.
2. The machine is innovative in direct drive mode. The energy-saving servo motor is directly connected with the sewing machine spindle. It can start sewing quickly, stop accurately and reduce the reaction time.
3. 750W energy-saving servo motor, shearing power is stronger. Round knife shearing, high-performance tangential mechanism to ensure accurate tangential effect, smooth incision.
4. It has many intelligent sewing modes, such as automatic thread cutting, automatic needle positioning, automatic needle number, automatic counting reverse seam, etc.



HB-0356-D4	2	8	★	-	816	370	135X17/DPX17 120-180	-	2000	850X250X535	32/36
HB-0335	2	8	★	-	816	370	135X17/DPX17 120-180	-	2000	580X250X535	32/36

HB-600-01CB/UT

直驱自动剪线高速小方头式绷缝机

DRY-HEAD HIGH-SPEED SMALL FLAT BED INTERLOCK SEWING MACHINE (WITH AUTO TRIMMER)

主要缝制范围：



适用于各类童装、运动衫、内衣、T恤衫、圆领衫、半开衫、西服、内衣、内裤等最小口径的缝制工序。



HB-500-05CB

直驱电脑带刀绷缝机

DIRECT DRIVE COMPUTER INTERLOCK SEWING MACHINE WITH KNIFE

适用于女士内衣、内裤等薄衣料的上松紧带和蕾丝作业。松紧带输送装置可以同步送出松紧带，进行均匀美观的上松紧带作业，布端修边器装置，边剪齐布料边，边缝切，可获得没有布料毛边的漂亮效果，提高缝制质量。

Its suitable for attaching elastic and lace on light-weight fabrics, such as lingerie, panty and similar garments. The elastic lace feeder with a mechanical metering device(MD), feeds the elastic lace according to the feeding of fabric. This allows for attaching beautiful and uniform elastic lace. The fabric edge trimmer (FT) trims the fabric edge during sewing, producing a clean finish on the fabric edge.



松紧带控制装置

自动修边器

切刀修边器装置



送料牙装置



HB-600-35B

高速绷缝机(左切刀)

HIGH-SPEED INTERLOCK SEWING MACHINE (LEFT HAND FABRIC TRIMMER)

适用于T恤衫、圆领衫(薄料中厚衣料)等圆筒物下摆折缝工序，左切刀，可一边剪齐布边，一边缝边，在布边上无曲折，能获得美观的成品提高效率，降低成本。

Suitable for hemming bottom of tubular goods, such as T-shirts, polo shirt, and etc (thin&medium-thick fabrics). The left side trimmer equipment enables hemming and trimming at the same time,ensures even selvedge, and assures higher working efficiency, lower cost and elegant products.

600-35BB 左切刀

Left hand fabric trimmer

600-35BB/PUT 左切刀气动式自动剪线

Left hand fabric trimmer with pneumatic thread trimmer

600-35BB/EUT 左切刀电磁式自动剪线

Left hand fabric trimmer with electric thread trimmer



破布装置

图刀切缝装置

本机为直驱自动剪线平台式绷缝机，适合大面积布料的缝制，可用来两面装饰缝，适用各种各样的装饰，采用小型伺服马达直接驱动代替了原先的皮带传动，启停反应迅速，并缩短了传动路线，提高了精度。本机型还具有自动剪线的功能、自动调速、自动停针位等一系列自动功能，可以提高工作效率，可使得缝制时的故障减少到最小限度，能缝制出高质量的产品。

This model is direct drive flat bed interlock sewing machine with automatic trimmer, be suitable for big area fabric sewing, sew decoration stitches on both surface of fabric, and sew many kinds of decoration. Adopt to small size servo motor instead of traditional strap, can start to work or stop quickly, shorten transmission route, upgrade the precision. With automatic trimmer, automatic adjusting speed, automatic stopping needle and other automatic functions, can upgrade the production efficiency, reduce any malfunction to minimum during sewing, in order to sew top quality stitches.



自动剪线装置



电动装置



直驱伺服马达装置



Model	Motor	Speed	Stitch	Stitch Length	Stitch Width	Stitch Density	Stitch Type	Stitch Mark	Stitch Count	Stitch Size	Stitch Weight	Stitch Material
HB-600-01CB/UT	UY128GAS 11#	3(2) 5(4)	4.8 5.6 6.4 (2.4 3.2 4 4.8)	4.4	0.5-1.3	★	2	6.3/5	6000	610X400X615	50/53	
HB-600-35BB/PUT	UY128GAS 9-11#	3(2) 5(4)	3.2 4.0 (4.8 5.6 6.4)	4.4	0.5-1.3			6.3/5	6000	600X390X630	69/72	
HB-600-35BB/EUT	UY128GAS 9-11#	3(2) 5(4)	3.2 4.0 (4.8 5.6 6.4)	4.4	0.5-1.3			6.3/5	6000	600X390X630	69/72	

Model	Motor	Speed	Stitch	Stitch Length	Stitch Width	Stitch Density	Stitch Type	Stitch Count	Stitch Size	Stitch Weight	Stitch Material
HB-500-05CB	#9-11	2/3 4/5	3.2 4.0 (4.8 5.6 6.4)	4.4	0.6-1.3			5000	615X495X650	50/55	
HB-600-35B	UY128GAS 9-11#	2/3 4/5	3.2 4.0 (4.8 5.6 6.4)	4.4	0.5-1.3			6.3/5	8000	600X390 X630	50/56




HB-720T

细横筒式绷缝机
SMALL CYLINDER-BED INTER

适用于各种针织品，运动服压线；适用于各式休闲服、折袖口、折下摆；特别适用于缝制童装等小口径服饰产品。

It is suitable for all kinds of knitted fabrics and sports clothes, and for all kinds of casual clothes, folded cuffs and folded hems. It is especially suitable for sewing small-caliber clothing products such as children's wear.



HB-787T

细横筒型高速三针自动剪线绷缝机
FINE HORIZONTAL TUBE-TYPE HIGH-SPEED THREE-PIN
AUTOMATIC TRIMMING INTERLOCK MACHINE

精心设计的上饰线切线刀，可依使用者之需求调整至最佳切线角度。精心改良的底线切线组、结构，使得切线稳定，调校方便。其特殊的切刀推进机构，可以准确的微调出刀的尺寸。

The carefully designed upper trim tangent knife can be adjusted to the best tangent angle according to the user's needs. The meticulously improved bottom tangent group and structure make the tangent stable and easy to adjust. Its special cutter propulsion mechanism can accurately fine-tune the size of the cutter.



HB-720T	2/3/4	3/5/6	1, 4/4, 5	4, 0/4, 8/5, 6/4, 0/6, 4	7, 0	0, 8/1, 4	5500
HB-787T	2/3/4	3/5/6	1, 4/4, 5	4, 0/4, 8/5, 6/4, 0/6, 4	7, 0	0, 8/1, 4	5500

HB-1500T

直驱自动剪线纵筒式绷缝机
VERTICAL CYLINDER TYPE COVERING
INTERLOCK MACHINE

主要缝制范围：



适用于各类童装、运动衫、毛衣、T恤衫、圆领衫、牛仔裤、西装、内衣、内裤等小口径的缝制工作。




HB-1500L

直驱自动剪线纵筒式绷缝机（加长款）
VERTICAL CYLINDER TYPE COVERING
INTERLOCK MACHINE



本适用于运动服压线、压单边、双针各式压条、各类服饰、领口、袖口、松紧带、更适合针织品、纺织品、各类运动服、泳装韵律装、各类休闲服、裤头、夹克等，是各种包、绷、饰缝及小口径筒式制品加工的理想选择。

This machine is suitable for pressing thread, pressing single side, double needle, all kinds of strips, all kinds of clothing, neckline, cuffs, elastic bands, more suitable for knitted goods, textiles, all kinds of sportswear, swimwear rhythm, all kinds of leisure clothing, trousers, jackets, etc. It is an ideal choice for processing all kinds of bags, bandages, decorative sewing and small caliber tubular products.



有上饰线，缝制线迹美观

HB-1500T	UTY128GAS 9-14#	3(2)	5(4)	4, 4	3, 2, 4, 0, 4, 8 5, 6, 6, 4	0, 8-2	8	4000	430X284X360	42/47
HB-1500L	UTY128GAS 9-14#	3(2)	5(4)	4, 4	3, 2, 4, 0, 4, 8 5, 6, 5, 4	0, 8-2	8	4000	430X284X360	42/47

特种机系列 SPECIAL SEWING MACHINE SERIES

HB-9820

电脑圆头锁眼机
ELECTRONIC EYELET BUTTON HOLER



HB-1790

高速电子平头锁眼机
HIGH-SPEED COMPUTER CONTROLLED LOCKSTITCH
STRAIGHT BUTTON HOLLING SEWING MACHINE

主要缝制范围:



适用于各类服装的平头锁眼工序。



适用于各种针织、棉纺、化纤等织物的钮孔缝制,尤其适于袖子的锁眼作业;通过操作面板对前5针进行速度设定,实现慢速启动,有效防止机器高速启动时的断线现象发生;通过电子控制,能进行缝制最后数针的加固缝,以防止扣眼脱线;装备了30个多样化的标准锁眼形状。

This model is direct drive flat bed interlock sewing machine with automatic trimmer, be suitable for big area fabric sewing, sew decoration stitches on both surface of fabric, and sew many kinds of decoration. Adopt to small size servo motor instead of traditional strap can start to work or stop quickly, shorten transmission route, upgrade the precision. With automatic trimmer, automatic adjusting speed, automatic stopping needle and other automatic functions, can upgrade the production efficiency, reduce any malfunction to minimum during sewing, in order to sew top quality stitches.




干式机头设计
Dry-head structure



带USB端口的触摸屏
LCD touch panel with USB port



电机切刀设计
Servo motor controlled cutter design



改进型冷却系统
Improved cooling system

	★	mm	mm	mm	mm	rpm	
HB-1790A-S	★	25	34.6	14	4200	DPX5 #11	
HB-1790A-K	★	25	34.6	14	4200	DPX5KN #11	
HB-1791A-S	★	70	34.6	14	4200	DPX5 #11	
HB-1791A-K	★	70	34.6	14	4200	DPX5KN #11	
HB-1795A-S	★	120	34.6	14	4200	DPX5 #11	
HB-1795A-K	★	120	34.6	14	4200	DPX5KN #11	

HB-1900ASS

电脑高速套结机

HIGH SPEED ELECTRONIC
BAR TACKING SEWING MACHINE

主要缝制范围:



适用于各类服装、用品的套结、加型缝等工作。



HB-430D

直驱电脑套结机

DIRECT DRIVE COMPUTER BAR TACKING MACHINE

主要缝制范围:



适用于各类服装、用品的套结、加型缝等工作。



全新的无油设计、广阔的缝制范围和多样化的缝制花样

1. 具备了纵30mm×横40mm的缝制范围, 可对应多样化的套结形状;
2. 在原来的套结形状基础上还增加了半月套结, 圆形套结及菊花孔锁眼等50多个种类的缝制花样。
3. 全新的花样输入模式: 先用U盘下载所需花样, 再直接插入操作板侧面的USB端口, 即可完成花样输入。

优越的操作性能

1. 通过小型AC伺服马达直接连接的直接驱动式机头(无皮带) 实现了优越的应答性能及精确的停止精度。即使是在高速, 运转下也能创造出低震动、低噪音的舒适的工作环境。
2. 在机头部位设置了手轮, 能更容易确认针的落针点。

Wide Sewing Area & Versatile Sewing Patterns

1. Providing a sewing area of 30mm x 40mm(LxW) with versatile bar-tacking shapes;
2. Adding over 50 types of sewing pattern such as semi-moon& round shape bar-tacking, Chrysanthemum-botton-hole, etc. on the original shape foundation;
3. The input mode of new pattern: Download the required pattern with U disc at first, then insert to the USB port to the side of the operate board directly is ok.

Outstanding operation performance

1. Direct-drive type machine head(without belt) connected by small AC servo motor. Achieves outstanding respond performance and precise stop precision .it can create Comfortable working environment of low vibration and low noise;
2. Equipped with a hand-wheel ahead in order to define needle point easier.

采用了刚性较高机架, 通过最新电脑的分析, 部件的各个细节部分之间都取得了良好的平衡, 噪音及振动抑制到最低限度。缝制区域40×30mm : 可用于从男装/女装到牛仔布、针织物、女式内衣的各种不同用途。

Enfold the end of thread in sewing thread to avoid thread loose after seaming. Suitabe for sleeve seam sewing of knitting underwear and sports wear etc.



机型名称 MODEL	机针 NEEDLE	最高缝纫速度 MAX SEWING SPEED RPM	线迹长度 SEWING STITCH LENGTH MM	针杆行程 NEEDLE BAR STROKE MM	压脚上升量 PRESSER LIFT HEIGHT MM	压脚 HOOK	标准花样数 STANDARD PATTERN NUMBER	标准花样数 DE POSITED DATA NUMBER
HB 1900A-SS 标准 STANDARD	DPX5 14#	3000	0.1-10.0	41.2	14-17	半回转 标准压脚	标准配备 350个花样	200个花样缝制数据可追加至150个花样
HB 1900A-HS 厚料 HEAVY MATERIAL	DPX17 21#							
HB 1900A-FS 内衣 UNDERWEAR	DPX5 11#							
HB 1900A-MS 针织 KNITTING MATERIAL	DPX5 11#							
HB 1900A-WVS 厚料/大款钩	DPX17 21#	2700				大放钩 Big hook		

机型名称	机针	最高缝纫速度	线迹长度	针杆行程	压脚上升量	压脚	标准花样数	标准花样数		
HB-430D-1	3200	普通厚料 Heavy material	0.05-12.7	★	•	17	★	★	67/64	715×450×550
HB-430D-2	2700	牛仔布 denim	0.05-12.7	★	•	17	★	★	67/64	715×450×550
HB-430D-3	3200	女性内衣 under wear	0.05-12.7	★	•	17	★	★	67/64	715×450×550
HB-430D-7	3200	针织布料 knitting material	0.05-12.7	★	•	17	★	★	67/64	715×450×550

HB-781D

高速电脑直驱平头锁眼机

HIGH-SPEED LOCKSTITCH STRAIGHT BUTTON HOLING INDUSTRIAL SEWING MACHINE SERIES

主要缝制范围:



适用于各种针线, 精纺、化纤等织物的钮孔缝制, 薄料, 中厚料均宜。



全新电脑直驱结构设计, 停针准确, 避免制动故障: 可缝制平线与三角线迹, 线迹牢固美观。缝速高, 钮孔长度、宽度及针数可调, 设有自动润滑系统及自动剪线装置。适用于各种针线, 棉纺, 化纤等织物的钮孔缝制, 薄料, 中厚料均宜。


Two choices of stitch pattern: whip stitch and purl stitch. With adjustable button-hole length/width and stitch and Automatic lubrication system and threadtrimmer. Applied for button-holing on ordinary or knitted material with light or heavy weight.



781UD 标准型



781NVD 羊毛衫专用



781NUD 针织专用



直驱伺服控制系统, 节能高效, 并且可避免制动(刹车)故障



全新的油路设计, 减少关键零件的磨损。



配置可视油窗, 更直观的了解供油是否正常。

Model	Application	DPX	4-345	2.5X5.0	34.6	6.35X38	3600	12
HB-781UD	男、女式衬衫工作服, 女装	DPX5#14	54-345	2.5X5.0	34.6	6.35X38	3600	12
HB-781NUD	中厚料的针织品内衣及毛呢衣	DPX5#11	54-345	2.5X5.0	34.6	6.35X38	3300	11.5
HB-781NVD	弹性布料羊毛衫	DPX5#11	54-345	2.5X5.0	34.6	6.35X38	3000	12



HB-1377D/373D

电脑直驱钉扣机

COMPUTER DIRECT DRIVE STAPLING MACHINE

适用于二孔或四孔的平纽扣, 可加附件, 可缝钉带柄及其他纽扣, 使用于服装行业的轻、薄中厚的钉扣。

5-yarn cup seaming machine for pleating, it has ruching (seam shrinking) device, and is applicable for pleating of children's clothes, skirts, women's garments, bedgown, bedspreads and curtains.



Model	DPX	4-345	2.5X5.0	34.6	6.35X38	3600	12
HB-1377D	TOX1 #14-#20	10-28	>9	8, 16, 32,	1500	24/28	500X300X400
HB-373D	TOXT #14-#20	10-28	>9	8, 16, 32,	1500	24/28	500X300X400

Model	DPX	4-345	2.5X5.0	34.6	6.35X38	3600	12
HB-927	TVX64 11-16#	2	4	1.2-5.2	1/4" 1/8" 3/16" 7/32" 6.4 3.2 4.7 5.6	10	4000 805X550X500 39/59
HB-928	TVX5 18-21 #	3	6	1.2-5.2	1/4" 9/32" 5/16" 3/8" 1/2" 6.4 7.14 7.94 9.62 12.7	11	4000 805X550X500 39/59

HB-927/928PL


双臂式双链环缝机

DOUBLE NEEDLE FEED-OFF-THE-ARM CHAIN STITCH MACHINES

悬臂筒形的特殊结构特别适合袖、裤等筒形部的搭接缝制; 适用于薄料至中厚料。

适用男装、女装、衬衫、工作服、休闲裤、雨衣等缝制用。

The special structure of cantilever tubular is especially suitable for sleeves, trousers and such kind of caliber things joint sewing. It is suitable for Men's Suit, suit-Dress, Shirts, Work Suits, Jeans, Tent, Raincoats, etc.



HB-62G (单切/双切)

曲臂式两面装饰四针六线拼缝机

FOUR NEEDLES SIX THREADS FEED-OFF-THE-ARM INTERLOCK SEWING MACHINE



HB-62G系列为针织缝制作业之必备机型，四针六线奉献于您独有的高弹性、平坦且高强度的拼缝效果，筒型机座及步履式压脚，在拼缝高弹性面料及根部过缝处更轻松，根据面料及用途的不同有各种规格的压脚针位组零件对应单切式双切式，追求高级制品品质和简单操作性的新锐机型。

This machine is used on knitting sewing, the four needle and six threads machine can performance a high tension and very smooth side seam, The cylinder bed and working foot can be easily go through the side seam and folding side. The different model are equipped with single cutter or double cutter can finish different stitch and be used on different material.




HB-62G	4	6	FLx118GCS 9#-11#	R=5.2 S=6.0	1.6-2.5	★	★	8.0	4200
Optional attachments 可选配的辅助件:	DS:Direct drive servo motor 直式伺服马达:	VD:Venturi device 织布屑装置:	PL-A:Auto lifter by Air 气动式自动抬压脚装置:	PL-E:Auto lifter by Electric 电动式自动抬压脚装置:	SL:Tape attaching device 贴布条装置:				

HB-VC008

筒式多针双链式环缝车

MULTI-NEEDLE CYLINDER BED DOUBLE CHAIN STITCH MACHINE




主要缝制范围:



适用于各类服装的平头锁眼工序。

完全自动给油，勾针纵向运动机构，筒型方便圆型衣物之缝纫，此机型可依要求之缝制款式、间隔尺寸做多样针位变化车缝。适用于高级衣物之装饰车缝。

Cylinder bed automatic oil, back and forth looper driving mechanism, For general sewing ,needle inquiry or gaps can be changed according to desired sewing pattern. suitable for stitching the high-grade clothes.





HB-1404

四针平台型勾针纵向双重环缝链式缝绉机
4-NEEDLE FLAT-BED DOUBLE CHAIN STITCH SEWING MACHINE

HB-1400系列为平台式多针机，上松紧、门襟滚条、上腰、装饰缝等。适用于内衣、运动服、女装、工作服、室内装饰品等。
分型号：MR：打折装置 WB：上腰装置 PSF：门襟装置 PSM：装饰装置 PSSM：打揽和装饰装置
PI：滚条装置 ET：下线为松紧线专用 附加装置：MD-1：前松紧带送布调整装置

HB-1400 series are a flatbed, multi needles, double chain stitch machine.
These series are multi-purpose machine for attaching elastic, attaching waistband, sewing the front of shirts, attaching line tapes, smocking and shining etc. which are ideal for underwear, sportswear, lady's clothes, interior decorated goods, (curtains, tableclothes etc...) There are 2 up to 33 needles available due to vertical movement of the looper and also many kinds of gauges which are selectable according to your needs.

Subclass: MR: Machine with Willing Device WB: Machine for Attaching Waistbands
PSF: Machine for shirt fronting PSM: Machine for smocking
PSSM: Machine for simultaneous shirring+smocking ET: Loper thread elastic model
PSET: Machine with Shirring (Needle: Polyester Thread, Loper: Elastic Thread)
PQ: Machine with Shirring (Needle: Polyester Thread, Loper: Polyester Thread, Elastic Thread: threading on surface of needle plate.)
PL: Machine for Attaching Line Tapes
Option: MD-1: Metering Device



HB-1404	UDX113 14 UYX113 90	4	3/4, 1-1/8, 1-1/4, 1-1/2, 1/4-2-1/4	12	8	1.4-3.6	4500	48/44
HB-1412	UOX113 14 UYX113 90	12	1/8	12	24	1.4-3.6	4500	48/44



HB-1412

十二针平台型勾针纵向双重环缝链式缝绉机
12-NEEDLE FLAT-BED DOUBLE CHAIN STITCH SEWING MACHINE



HB-1508P

1-4针平台型弯针横向双重环缝链式裤腰缝绉机
1-4 NEEDLE FLAT-BED DOUBLE CHAIN STITCH MACHINE WITH HORIZONTAL LOOPER MOVEMENT MECHANISM

适用于中厚料至厚料使用，牛仔的卷边缝、上腰、上松紧等车缝。
独自开发的后拖轮保证高速运转时送布均衡，线迹美观。

附加装置：
1508PR：后拖轮的下轮左右分开，便于转弯缝(4针)
1503PTF：带后拖轮，特殊压脚(3针)
1502L：2针滚条
MD-1：前送松紧带装置

Lap seaming, attaching waistbands and line tapes, and inserting elastic.
Major features of SM1500 series are wide range of applications on mid heavy and heavy weight fabric and special unique rear puller mechanism. These features enable SM1500 series to produce durable and uniform stitches on mid heavy and heavy weight fabrics.
Option:
1508PR: Machine with 2 Independent lower rollers and a rear puller (4 needle machine for waist banding and curve seaming)
1503PTF: Machine with rear puller and tractor presser foot (3 needle machine for lap seaming)



HB-1508P	TVXS	4	1-1/4 1-1/2 1-3/4	10	8	34	4.2	4500	620X405X590	52/48
HB-2000C	DPX(11#-16#)	2	1-1/4 1-1/2 1-3/4	8	3	34		4500	620X405X590	52/48




HB-2000C

双针平台型弯针横向双重环缝带刀裤耳机
DOUBLE BEEDLE FLAT-BED MAKING BELTLOOP WITH FRONT FABRIC BUTTER(THE WIDTH OF BELT LOOP)

①完备的自动供油系统与滤油装置，确保最高缝速可达4500针/分钟；
②勾针采用纵向运动机构；
③机器后挂拉引滚轮装置；
④关键部件采用轻质化或特殊硬化处理，提高了机器的防震、耐磨性；
⑤此机型附有两侧切刀，能将不规则料片经自动裁剪、卷边后缝制出裤袷带。

可选针位
(select needle gauge):1/ 4
双针，带前刺刀，缝裤耳用。
机针：UY128GAS
裤耳宽度：8-18mm
压脚提升高度：8mm
转速：4500 r.p.m



HB-2010R

电子花样机
ELECTRIC PATTERN MACHINE



该花样缝纫机可以以最高2500转/分钟的速度，在长15cmX宽10cm范围内，以0.1mm-12.7mm的针距，稳定高速地缝制任何你想要的花样图案。花样图案您只需要设计输入一次就可以永久地存放在主机的内部记忆体或您自己的U盘里，方便您的携带。产品共有10个速度档位可供您选择，轻轻一按，即可随时调出您想要的缝制速度。产品采用日本松下直驱伺服电机或自主研发的直驱伺服电机，动力强劲、运转稳定而精准，确保每一条线迹长度保持一致，让您的图案完美无缺！气动式外压框可以紧紧地压住待车材料，颠覆普通缝纫机的人工送料模式，内压框可以在4mm-10mm范围内运动，可以帮助您缝制机最厚高达10mm的材料。

This pattern sewing machine can with the highest 2500 RPM speed in long 15 cm x 10 cm wide range, with 0.1 mm to 12.7 mm stitch, stable high speed sewing anything you want to pattern design. Pattern design you only need to design input a can permanently stored in internal memory of host or your own U disk, convenient your carry. There are 10 speed gear products for you to choose, gently press, can at any time you want out of the sewing speed. The product USES the Japanese panasonic direct driving servo motor or independent research and development of the direct drive servo motor, strong power, stable running and precise, ensure that each line mark length keeps consistent, let your design perfect! The pneumatic press box can tightly pressure to live car materials to subvert the ordinary sewing machine feeding mode), pressure inside the box can be in 4 mm to 10 mm range sports, can help you the most up to 10 mm thick sewing machine of the material.



机器型号 (MODEL)	HB-2010R	
最高缝纫速度	2500转/分	缝制范围 20cm*10cm
针距范围	0.1mm-12.7mm	速度设定 10档设定
花样储存方式	内部记忆体/SD卡	最大针数 8000针/花样
使用机针	DP*17# 19#	扩大缩小功能 10%-200%
压脚形式	气动式	两倍放缩
内压脚自动提升量	20mm	外压脚提升量 32mm
主轴电机	松下直驱伺服750W	内压脚运动量 4mm-10mm
外形尺寸 (长*宽*高)	120CMX92CMX117CM	电源 交流220V, 带接地保护

HB-2210G

直接驱动程序式电脑花饰机
DIRECT DRIVE PROCEDURAL COMPUTER FLORAL DECORATION SEWING MACHINE



机器型号 (MODEL)	HB 1310G	HB 2210G	HB 3020G	HB 6040G
最高缝纫速度 Maximum Sewing Speed		2700rpm		
缝制区域 (x-y) Sewing Area(x-y)	最大(Max)130X100mm	最大(Max)220X100mm	最大(Max)300X200mm	最大(Max)600X400mm
送布装置 Clothing feeding device	间歇送布 (脉冲马达驱动方式) Intermittent feeding (driven by pulse motor)			
针距 Needle Pitch	0.05-12.7mm			
最大针数 Maximum needle number	20000针/1个图案 20000 needles/1pattern			
压脚驱动方式 Presser foot drive	脉冲马达驱动, 气动驱动方式 Pulse motor drive/Pneumatic drive			
压脚高度 Work Clamp Height	-0-5 最大 Max: 25mm 0-8 最大 Max: 30mm	最大 Max: 30mm	最大 Max: 30mm	最大 Max: 30mm
两步压脚 2-step presser foot	-0-5 一体压脚 0-8 分离式压脚	分离式压脚	一体压脚 Unit work clamp	
间歇压脚上升量 Raising amount by intermittent presser foot	22mm			
间歇压脚上行量 Stroke by intermittent presser foot	0或2-10mm(出厂设置: 3mm) 0或2-10mm(Factory defaults: 3mm)			
扫线装置 Scavenging device	标准装置 Standard device			
切线装置 Tangent device	标准装置 Standard device			
数据存储方式 Data storage way	内存(使用CF卡可任意缝制图案)3.5英寸盘2HD/1.44MB,2DD(选配件)			
旋梭 Hook	双梭(标准旋梭是选配件) Hook(standard hooks are options)		四梭(双梭标准旋梭是选配件) Two times of shuttle hooks(standard hooks are options)	
马达 Motor	AC伺服马达550W AC servo motor 550W			
重量 Weight	机头: 约88kg 操作盘: 约0.6kg 控制箱: 14.2-16.2kg			
电源 Power	单相/220V 三相380V Single-phase220V Three-phase380V			
气压 Air pressure	0.5Mpa 1.7L/min		0.5Mpa 1.81L/min	



HB-2284 N

高速单针曲折缝

HIGH-SPEED, 1-NEEDLE, LOCKSTITCH, ZIGZAG STITCHING MACHINE

本系列机型是高速曲折缝，在一步两点，三步四点模式中可以自由切换，使用内衣，文胸等服饰缝纫。并可配备自动剪线，自动倒回缝，自动拨线，自动抬压脚等功能。

This model is a high-speed zigzag stitching machine. The function of one step two points and three step four points function can be switched freely. It is suitable for sewing underwear, bra etc. Auto thread trimmer, auto bar tacking, auto thread wiping, auto presser lifter, function are available in this model.



一步两点，三步四点可切换
Switch for 1 step 2 points, 3 step 4 points

缝纫摆幅调节
Sewing width dial

高品质剪刀
High quality thread trimmer



HB-1530D

曲折缝缝纫机系列

ZIGZAG SEWING MACHINE SERIES

国际最新款式，适用于服装、鞋帽、皮件、箱包等行业的薄、中厚料曲折缝、拼缝、装饰缝。线迹美观，操作灵活。SM-20U53为西服口袋专用，适用中、小型服装厂的服装加工。

It is suitable for zigzag, sewing embroidery, abutted seaming on light and medium material, such as garments, shoes and caps, leather articles and bags etc. Adjustable backward feeding mechanism. Beautiful stitch and easy operation. SM-20U53 the special type for suit pocket, which is suitable for middle-miniclothing factory and sewing machine shop.



HB-2284N	DPX5 #10-14	★	★	★	5.5-10	5000	660X340X730 40/45

HB-1530D	1800	5	★	35	DPX5 #14	5手边 (BY HAND) 12脚边 (BY KNEE)	0-12 370 550X250X365 21/25

普通/辅助系列
GENERAL AUXILIARY SERIES SEWING MACHINE

HB-890B

家用电脑缝纫绣花一体机

HOME COMPUTERIZED SEWING & EMBROIDERY MACHINE



HB-1212

多功能缝纫机

MULTI-FUNCTION SEWING MACHINE

1212 function parameters
Aluminium body in side with plastic body outside
Automatic clutch for bobbin winding
Reverse stitches button
12 kinds of stitches
built-in light
4 step buttonholer
Foldable handle
Built-in powerful electric motor
G.W: 6.5KG
N.W: 5.5KG
MEAS: 41.0*21.0*32.5CM



HB-888

全自动断布机系列

FULL-AUTOMATIC CLOTH CUTTER SERIES

裁断速度快、噪音低、精度高，是目前最理想的断布专用工具。本机装有快速磨刀装置，确保刀口锋利。压布齐整不错位，自动计数准确，自动来回，自动复位，装有保护装置。导轨自动升降，如设为手动，导轨可上下移动。并且可以调节导轨压布压力，裁剪长度可任意设定。

Widely used in the garments and knitwear producing. It has the features of high-speed, low noise and high precision etc, it is the most ideal special cutting tool at present. It has the equipment of quick sharpening, which can remain the knife sharp. It can press the materials in flat, cut in neat and nondisturb. It can count accurately in automatic, and cut the materials automatic backand front, auto matic reset, automatic lifting the rail, It also has the protective equipment, the cutting length can be set freely.

HB-666

剪线头机

SUCTION LINE MACHINE

1. 工作效率高，比手工剪线可提高3倍以上；
2. 微电脑控制，自动输油，保障刀片润滑；
3. 效果好，所减线头在0.1mm以下；
4. 高科技集成，故障率低，维护简单；
5. 根据布料来调风，不会剪烂产品；
6. 可节省2-4个工人，剪线快又干净！

1. High efficiency, more than 3 times higher than manual cutting.
2. Microcomputer control, automatic oil transporting, ensuring blade lubrication;
3. The effect is good, and the reduction head is less than 0.1 mm.
4. High-tech integration, low failure rate, simple maintenance;
5. Adjust the air according to the cloth, and do not cut the product.
6. Can save 2-4 workers, cutting thread fast and clean!



HB-101T

家庭用暗缝机

DOMESTIC BLIND STITCH MACHINE



HB-500T

家庭用暗缝机

DOMESTIC BLIND STITCH MACHINE

机型	功率 W	电压 V	频率 Hz	裁切宽度 m	裁切速度 m	轨流长度 m	刀片转速 R/min
HB-888	200	220/110	50/60	1.6	1.8	2.0	2123.25
				2.2	2.4	2.6	

HB-120C/H

电脑切带机(冷、热红外)

AUTO-LABEL CUTTER(COLD & HOT)

高速: 每分钟可切断70片。(以50mm长度为例)
切断面平整: 热刀可对彩色丝带、轻薄纺织带的切断面进行高温热封, 且封口平整无毛边, 刀刃由进口优质钢材制成, 使用寿命长。
自动操作: 只需设定您所需的切断长度和数量, 其余工作都自动完成。
可切断材质: 尼龙织带、彩色缎带、背包带、等尼龙材质。



HB-812/815/817/818

切带机

Tape cutting machine

本机适用裤耳、橡根、接链、魔术贴包边条等之切除, 长短可根据要求通过计数器调整, 全自动拉切, 运转平稳, 操作方便。

This machine suitable trousers ear, rubber root, connect chain, magic stick to bag excision if strake etc. Size but the root according to require and change through counter, full automatic to draw cutting, it is stable to operate, easy to operate.



HB-801A/802A

切布条机

CUTTING CLOTH MACHINE

专门为针织偏条切割而造; 机械性能卓越; 偏条宽度可调节最大至100mm; 特别设计的送布轮使用操作更顺畅。本机分单、双刀设计, 高效易用。

This machine is designed for knitting bias. The performance of this machine is very excellent, the width of the bias reaching 100mm. The feeding wheel on the machine can make operation more smoothly. With single & double knife design, high efficient and easy to use.



HB-103/3/108

自动磨刀裁剪机

AUTOMATIC SHARPENER CUTTING MACHINE

本机可与美国伊士曼电剪627X型互通用, 适用于棉、毛、麻、丝绸、化纤、皮革等厚料裁剪。具有集中润滑, 切口平直, 且能作小曲率半径曲线裁剪, 低噪声, 运转平稳, 操作方便, 高效率, 自动磨刀, 采用大功率电动机等特点。

It is available to cutting materials such as cotton, woolsens, linen, silk, chemical fiber and leather, etc. Having features of concentrated lubrication, neat cutting section and small curvilinear cutting, low noise, stable running, easy operation, and high efficiency, automatic knife grinding, powerful motor.



Model	Power	Speed	Frequency	Voltage	Blade Length	Blade Width	Blade Thickness	Table Size
HB 9288	2800	220/110	50/60	550	-	-	15	720×390×300
HB 3	2800	220/110	50/60	750	160 185 210	2800-3450	19	750×400×310
HB 103	2800	220/110	50/60	550	160-210	2800-3450	17.5	730×400×300
HB 108	2800	220/110	50/60	550	105	2800-3450	16	530×320×230

HB-50/70/90/100/110/125

自动圆刀裁剪机

AUTO-MATIC CIRCULAR KNIFE CUTTING

本圆刀裁剪机可用于棉、毛、麻、丝绸、化纤等织物的裁剪。本机切割轻快, 运转平稳, 使用舒适、磨刀方便。

It can cut cotton, woolsens, linen, silk, chemical fiber, etc. Freely cutting, stable running, easily used. The blade can be easily sharpened.



Model	Power	Speed	Frequency	Voltage	Blade Length	Packing Size	Weight
HB 50	150W	2400rpm	50/60HZ	110V/220V	50/70(mm)	675X345X220	1/1.2kg
HB 70/75	170-190W	2400rpm	50/60HZ	110V/220V	50/70(mm)	675X345X220	1.2/1.5kg
HB 90	180-245W	700rpm	50/60HZ	110V/220V	100(mm)	920X300X370	2.5/3.5kg
HB 100/110/125	180-300W	1200rpm	50/60HZ	110V/220V	90(mm)	550X360X250	2.5/4kg
HB 110P	3.6W-200W	600-1200rpm	50/60HZ	110V/220V	100(mm)	550X360X250	2.5/4kg



HB-TDZ-B1

吸风烫台
VACUUM IRNING TABLE



HB-TDZ-Q1

吸风烫台
VACUUM IRNING TABLE



HB-QA-2

6KW全自动电加热蒸汽发生器
6KW FULLY AUTOMATIC ELECTRICALLY-HEATED STEAM BOILER



HB-QA-3

6KW全自动电加热蒸汽发生器
6KW FULLY AUTOMATIC ELECTRICALLY-HEATED STEAM BOILER



HB-QB-2

3KW全自动蒸汽发生器
6KW FULLY AUTOMATIC STEAM BOILER

直驱电机



EXT 自动剪线系列
EXT AUTOMATIC SHEAR LINE SERIES



EXT 自动剪线系列
EXT AUTOMATIC SHEAR LINE SERIES



M700 自动剪线系列
M700 AUTOMATIC SHEAR LINE SERIES



M747 自动剪线系列
M747 AUTOMATIC SHEAR LINE SERIES



6700 自动剪线系列
6700 AUTOMATIC SHEAR LINE SERIES



988 自动剪线系列
988 AUTOMATIC SHEAR LINE SERIES



8403 自动剪线系列
8403 AUTOMATIC SHEAR LINE SERIES



799 自动剪线系列
799 AUTOMATIC SHEAR LINE SERIES

HB-808

大白扣装钮机
BUTTON ATTACHING MACHINE

本机为钉铆各种规格四合扣的理想设备，取代手工钉铆的繁重劳动；可根据客户要求，配置各种专用模具。

This machine is for nail and rivet various kinds of specification four ideal equipment that buckle jointly, replace and nail strenuous work that rivet by hand; And can follow the customer, Require, dispose various kinds of special purpose moulds.



	接头轴行程 Stroke(mm)			
HB-808	38	1600	312X270X490	25